

NEWSROOM RELEASE



The University of Arizona  
Health Sciences

## NEWSROOM

# Study Shows Cannabis Terpenes Provide Pain Relief, Contribute to 'Entourage Effect'

*Researchers in the  
Comprehensive Pain and  
Addiction Center have  
found that terpenes  
mimic cannabinoids and  
produce similar pain-  
relieving effects.*

July 14, 2021



*Terpenes are found in many plants, and new research has demonstrated a terpene/cannabinoid interaction that showed positive results in controlling pain.*

When it comes to the medicinal and therapeutic properties of *Cannabis sativa*, an unsolved mystery is whether there exists an “entourage effect,” whereby the pain-relieving effects of the plant as a whole are greater than any of its individual parts. New research from the **University of Arizona Health Sciences** (<http://uahs.arizona.edu/>) has found evidence that favors the entourage effect theory and positions *Cannabis* terpenes, the part of the plant that provides flavor and aroma, as a promising new target for pain therapies that would require lower doses and produce fewer side effects.

“A lot of people are taking *Cannabis* and cannabinoids for pain,” said lead researcher

**John Streicher, PhD**, a member of the UArizona Health Sciences **Comprehensive Pain and Addiction Center**

(<https://cpac.arizona.edu/>) and associate professor of pharmacology at the **College of Medicine – Tucson** (<http://medicine.arizona.edu/>) .

“We're interested in the concept of the

John Streicher, PhD, a member of the Comprehensive Pain and Addiction Center, said the findings answered some basic science questions that allowed him to advance the research moving forward. “Now, we're getting into the therapeutic questions – what's a good drug to give to a person to help them control their pain?”

entourage effect, with the idea being that maybe we can boost the modest pain-relieving efficacy of THC and not boost the psychoactive side effects, so you could have a better therapeutic.”

Terpenes are aromatic compounds found in many plants and are the basic component in essential oils. The terpene linalool, for example, gives lavender its distinctive floral scent. In addition to terpenes, *Cannabis sativa* contains naturally occurring


compounds known as cannabinoids, the most well-known of which are cannabidiol, or CBD, and tetrahydrocannabinol, or THC, the psychoactive component of cannabis.

Researchers found that *Cannabis* terpenes, when used by themselves, mimic the effects of cannabinoids, including a reduction in pain sensation. When combined with cannabinoids, the pain-relieving effects were amplified without an increase in negative side effects. The paper, “*Cannabis sativa* terpenes are cannabimimetic and selectively enhance cannabinoid activity (<https://www.nature.com/articles/s41598-021-87740-8>),” was published in Scientific Reports.

“It was unexpected, in a way,” said Dr. Streicher. “It was our initial hypothesis, but we didn’t necessarily expect terpenes, these simple compounds that are found in multiple plants, to produce cannabinoid-like effects.”

Dr. Streicher and the research team, including former graduate student and first author Justin LaVigne, PhD, former undergraduate researcher Ryan Hecksel and former postdoctoral fellow Attila Kerestztes, PhD, focused on four *Cannabis* terpenes: alpha-humulene, geraniol, linalool and beta-pinene. They evaluated each terpene alone and in combination with WIN55,212-2, a synthetic cannabinoid agonist that stimulates the body’s natural cannabinoid receptors.

When a cannabinoid such as THC enters the body, it binds to one of two cannabinoid receptors – CB1R, which is the most abundant, or CB2R. The receptor then activates neurons that affect physiological processes and behavior. In laboratory experiments, researchers found that all four terpenes activated the CB1R, just like THC.



Behavioral studies in mouse models revealed that when administered individually, all four terpenes lowered pain sensitivity, and at least three of the four classic cannabinoid side effects: reduced pain sensation, lowered body temperature, reduced movement and catalepsy, a freezing behavior related to the psychoactive effects of cannabinoids. When terpenes were combined with WIN55,212-2, researchers saw a greater reduction in pain sensation compared with either the terpene or WIN55,212-2 alone, demonstrating a terpene/cannabinoid interaction in controlling pain.

Dr. Streicher's ongoing research is focusing on the use of terpenes in combination with opioids and for specific types of cancer-related pain. His long-term goal is to develop a dose-reduction strategy that uses terpenes – generally recognized as safe by the U.S. Food and Drug Administration – in combination with cannabinoids or opioids to achieve the same levels of pain relief with lower doses of drugs and fewer side effects.

## Related Stories

**UArizona Health Sciences Researchers Identify Potential Pathway to Make Opioids Safer, More Effective** (<https://uahs.arizona.edu/news/uarizona-health-sciences-researchers-identify-potential-pathway-make-opioids-safer-more>)

UArizona Health Sciences

Health Sciences Connect

Tomorrow is here.